

600X 1200MM

ENDLESS SATVARIO











Technical specification

It is made surfaces which are adorn your space and stable in any condition and also easy to applicable anywhere we can call that it is a timeless beauty.



Long Durability

Easy

Installation



Easy to



Impact Resistance



Frost Resistance



Crazing Resistance



Thermal Shock Resistance





Resistance



Chemical Resistance



Dimensional Stability



Absorption

APPLICATION

It is made surfaces which are adorn your space and stable in any condition and also easy to applicable anywhere we can call that it is a timeless beauty.


























BOSCO WHITE




FINISH: GLOSSY








BOSCO WHITE








CARLOS STATURIO










CARLOS STATURIO








GLOBAL STATURIO











GLOBAL STATURIO

SIZE: FINISH: THICKNESS: RANDOM 8.5MM 3








HITERA STATURIO



FINISH: GLOSSY









HITERA STATURIO

SIZE: THICKNESS: RANDOM 8.5MM 2








JAVIERO STATURIO











JAVIERO STATURIO

SIZE: THICKNESS: RANDOM 8.5MM 1








LOYAL STATURIO



FINISH: GLOSSY








LOYAL STATURIO

SIZE: FINISH: THICKNESS: RANDOM 8.5MM 4








MIDAS NATURAL



FINISH: GLOSSY







MIDAS NATURAL

SIZE: 600X1200MM | FINISH: 8.5MM | RANDOM 3








MILLOW STATURIO











MILLOW NATURAL

SIZE: THICKNESS: RANDOM 8.5MM 3








MYSTIC WHITE



FINISH: GLOSSY








MYSTIC WHITE








RAIN STATURIO










RAIN STATURIO


SIZE: 600X1200MM GLOSSY 8.5MM 3





REFINE STATURIO










REFINE STATURIO

SIZE: / FINISH: / THICKNESS: / RANDOM 8.5MM 4








THOR STATURIO











THOR STATURIO

SIZE: FINISH: THICKNESS: RANDOM 8.5MM 4








TOON STATURIO











TOON STATURIO








VEGAS STATURIO



FINISH: GLOSSY









VEGAS STATURIO

SIZE: FINISH: THICKNESS: RANDOM 8.5MM 4







TECHNICAL SPECIFICATION

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	VALUE				
DIMENSION & SURFACE QUALITY							
Deviation in length	ISO-10545-2	+0.6%	0.6% ±0.2%				
Deviation in Thickness	ISO-10545-2	±5%	±3%				
Straight of Sides	ISO-10545-2	±0.5%	±0.2%				
Rectangularity	ISO-10545-2	±0.5%	±0.2%				
Surface Flatness	ISO-10545-2	±0.5%	±0.2%				
F	PHYSICAL & THERMAL PROF	PERTIES					
Flexural Strength	ISO-10545-4	> 35N/mm²	> 40N/mm²				
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4				
Breaking Strenght	ISO-10545-11	>1113N	>100N				
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof				
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage				
Noisture Expansion	ISO-10545-10	NIL	NIL				
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV				
	CHEMICAL PROPERTIE	S					
Chemical Resistance	ISO-10545-13	No Damage No Damage					
Color Resistance	ISO-10545-16	No Damage No Damage					
Stain Resistance	ISO-10545-14	Resistant Resistant					

PACKING DETAILS

Dimension (MM)				
	PIECES	Sq. Mtr.	Sq. Feet	Weight (Apx.)
600x1200MM	2	1.44	15.50	27 Kgs.



NEWGRESS BHARAT TILES LLP

Contact us:

+91 84870 75730 | +91 84880 75730 | +91 91042 75730

Address:

Matel Rd, Lakaddhar, morbi-2 Gujarat 363621.